

ÜBERBLICK ORTHOKINE®-RELEVANTER PUBLIKATIONEN (CHRONOLOGISCH)

2003

1. Meijer H et al.: The production of anti-inflammatory cytokines in whole blood by physico-chemical induction. *Inflamm Res* (2003) 52(10): 404–407
2. Baltzer AWA et al: Intraartikuläre Therapie der Gonarthrose mit autologem Interleukin-1 Rezeptor Antagonisten (IL-1Ra). *Deutsche Zeitschrift für Sportmedizin* (2003) 54(6): 209–211

2004

3. Wright-Carpenter T et al.: Treatment of muscle injuries by local administration of autologous conditioned serum: animal experiments using a muscle contusion model. *Int J Sports Med* (2004) 25(8): 582-587
4. Wright-Carpenter T et al.: Treatment of muscle injuries by local administration of autologous conditioned serum: a pilot study on sportsmen with muscle strains. *Int J Sports Med* (2004) 25(8): 588–593

2005

5. Moser C et al.: Die Rolle der Zytokine bei Knorpeldefekten und in der Knorpeltherapie. Interleukin-1 und TNF-a: Schlüsselfaktoren der Knorpeldestruktion. *Arthroskopie* (2005) 18(3): 181–185
6. Levy E et al.: Intraartikuläre Behandlung mit autologem irap conditionierten Serum – Teil 1. *pferde spiegel* 3/2005: 120–124
7. Hague BA: Clinical Impression of ORTHOKINE (IRAP) Treating Joint Disease in the Performance Horse. *ACVS conference (2005)*, San Diego, USA

2006

8. Glawe H: ORTHOKIN®-Therapie: Autologes Conditioniertes Serum an der Wirbelsäule. Eine Anwendungsbeobachtung an 261 Patienten. *Poster* (2006)
9. Theodoridis T, Krämer J: Interleukin-1-Rezeptor-Antagonist-Protein (IRAP). In: Injektionstherapie an der Wirbelsäule. Manual und Atlas, 37-40. *Georg Thieme Verlag* (2006) ISBN 3-13-141041-8A

2007

10. Becker C et al.: Efficacy of epidural perineural injections with autologous conditioned serum for lumbar radicular compression: an investigator-initiated, prospective, double-blind, reference-controlled study. *Spine* (2007) 32(17): 1803–1808
11. Frisbie DD et al.: Clinical, biochemical, and histologic effects of intra-articular administration of autologous conditioned serum in horses with experimentally induced osteoarthritis. *Am J Vet Res* (2007) 68(3): 290–296
12. Wehling P et al.: Autologous Conditioned Serum in the treatment of Orthopaedic diseases – The ORTHOKINE® Therapy. *Biodrugs* (2007) 21(5): 323–332

2008

13. Yang KG et al.: Autologous interleukin-1 receptor antagonist improves function and symptoms in osteoarthritis when compared to placebo in a prospective randomized controlled trial. *Osteoarthritis and Cartilage* (2008) 16(4): 498–505
14. Österdahl J: Evaluation of autologous conditioned serum. Degree project 2008:67 at Swedish University of Agricultural Sciences, Uppsala (2008) *ISSN* 1652-8697
15. Creaney L, Hamilton B: Growth factor delivery methods in the management of sports injuries: the state of play. *Br J Sports Med* (2008) 42: 314–320
16. Jöstingmeier U: Vergleichende Betrachtung des Behandlungserfolges der intra-artikulären kombinierten Behandlung mit Natriumhyaluronat und Betamethason mit der intraartikulären Behandlung mit autologem konditionierten Serum (IL-1Ra) bei Pferden mit positiver Hufgelenksanästhesie - Eine Anwendungsbeobachtung. Inaugural-Dissertation an der Freien Universität Berlin (2008) *ISBN* 978-3-86664-665-0
17. Martinelli MJ et al.: Biochemical Characterization and Clinical Assessment of Autologous Conditioned Serum Treatment in Race Horses. *Annual Meeting of the Orthopaedic Research Society* (2008), San Francisco, USA
18. Weinberger T: Klinische Erfahrungen mit der Anwendung von ACS / ORTHOKIN® / IRAP beim Pferd. *pferde spiegel* 3/2008
19. Weinberger T.: Clinical experience with ACS/ORTHOKINE/IRAP in horses. *Equine Sports Medicine* 3/2008
20. Weinberger T.: Regenerative Therapiemöglichkeiten beim Pferd – eine Übersicht. *pferde spiegel* 3/2008

2009

21. Wehling P et al.: Use of Autologous Conditioned Cell-free Serum (ORTHOKINE®) in Treating Osteoarthritis and Sciatic Back Pain. *European Musculoskeletal Review* (2009) 4(1): 8–11
22. Majewski M et al.: Accelerated Healing of the Rat Achilles Tendon in Response to Autologous Conditioned Serum. *The American Journal of Sports Medicine* (2009) 11: 2117–2125
23. Chevalier X et al.: Intraarticular injection of anakinra in osteoarthritis of the knee: a multicenter, randomized, double-blind, placebo-controlled study. *Arthritis & Rheumatism* (2009) 61(3): 344–352
24. Baltzer AWA et al.: Autologous conditioned serum (ORTHOKINE®) is an effective treatment for knee osteoarthritis. *Osteoarthritis and Cartilage* (2009) 17(2): 152–160
25. Darabos N et al.: Correlation between synovial fluid and serum IL-1 β levels after ACL surgery - preliminary report. *International Orthopedics (SICOT)* (2009) 33: 413–418

2010

26. Fox BA, Stephens MM: Treatment of knee osteoarthritis with ORTHOKINE-derived autologous conditioned serum. *Expert Rev Clin Immunol* (2010) 6(3): 335–345

2011

27. Textor J: Autologous biologic treatment for equine musculoskeletal injuries: platelet-rich plasma and IL-1 receptor antagonist protein. *Vet Clin North Am Equine Pract.* (2011); 27(2): 275–298. doi: 10.1016/j.cveq.2011.05.001. PubMed PMID: 21872759
28. Darabos N et al.: Intraarticular application of autologous conditioned serum (ACS) reduces bone tunnel widening after ACL reconstructive surgery in a randomized controlled trial. *Knee Surg Sports Traumatol Arthrosc* (2011) 19: 36–46
29. Geburek F, Stadler P: Regenerative therapy for tendon and ligament disorders in horses. Terminology, production, biologic potential and in vitro effects. *Tierarztl Prax Ausg G Grosstiere Nutztiere.* (2011); 39(6): 373–83. Review. German. PubMed PMID: 22167082

2012

30. Heisterbach PE et al.: Effect of BMP-12, TGF- β 1 and autologous conditioned serum on growth factor expression in Achilles tendon healing. *Knee Surg Sports Traumatol Arthrosc* (2012) 20(10): 1907–1914

2013

31. Alvarez-Camino JC et al.: Use of autologous conditioned serum (ORTHOKINE) for the treatment of the degenerative osteoarthritis of the temporomandibular joint. Review of the literature. *Med Oral Patol Oral Cir Bucal* (2013) 18 (3): 433–438
32. Frizziero A et al.: Autologous conditioned serum for the treatment of osteoarthritis and other possible applications in musculoskeletal disorders. *Br Med Bull* (2013) 105: 169–184
33. Baltzer AWA et al.: A new treatment for hip osteoarthritis: clinical evidence for the efficacy of autologous conditioned serum. *Orthop Rev* (2013) 5(2):e13
34. Weisshaar MP, Gaji S: Signaling Proteins (Growth Factors and Cytokines) in Orthopaedics. Comparison of two blood processing techniques: ORTHOKINE® and ACP®. *CORS congress 2013 Venice, Italy*
35. Morgenstern DR et al.: Adjunctive Biological Treatment for Degenerative Hip Disease with Focal Chondro Labral Defects. *ISHA Annual Meeting, Munich, Poster 58* (2013)

2014

36. Astolfi M et al.: The effectiveness of autologous conditioned serum in the treatment of knee osteoarthritis. *J Sport Rehabil.* (2014) Nov;23(4):365-9. doi: 10.1123/jsr.2013-0029. Review. PubMed PMID: 24810293.
37. Beyzadeoglu T: Cytokines in Sports Medicine. *ISAKOS NEWSLETTER* 2014: Volume I. Current Concepts, 1–44.
38. Majewski M et al.: Treatment Of Achillodynia With Local Injections Of Autologous Conditioned Serum (acs). *British Journal of Sports Medicine*, (2014) 48(Suppl_2), A38–A39. <http://doi.org/10.1136/bjsports-2014-094114.60>

2015

39. Frisbie DD: Autologous-conditioned serum: evidence for use in the knee. *J Knee Surg.* (2015); 28(1):63-6. doi: 10.1055/s-0034-1543956. PubMed PMID: 25599270
40. Baselga J et al: Treatment of Osteoarthritis of the Knee with a Combination of Autologous Conditioned Serum and Physiotherapy: A Two-Year Observational Study. *PLoS ONE* (2015) 10(12): e0145551.

41. Geburek F et al.: Effect of a single injection of autologous conditioned serum (ACS) on tendon healing in equine naturally occurring tendinopathies; *Stem Cell Research & Therapy* (2015) 6:126
42. Torrero JI, Martínez C: New developments in the treatment of osteoarthritis -focus on biologic agents. *Open Access Rheumatol.* (2015) 22;7:33-43. eCollection (2015). Review. PubMed PMID: 27790043; PubMed Central PMCID: PMC5045124.

2016

43. Wehling P et al: How does surgery compare with advanced intra-articular therapies in knee osteoarthritis: current thoughts; *Ther Adv Musculoskel Dis* (2016) 1-14, Volume: 9 issue: 8, page(s): 183–196, DOI: 10.1177/1759720X16642405
44. Evans CH et al.: Autologous Conditioned Serum. *Phys Med Rehabil Clin N Am* 27 (2016) 893–908
45. Godek P: Use of Autologous Serum in Treatment of Lumbar Radiculopathy Pain. Pilot Study. *Ortopedia Traumatologia Rehabilitacja, MEDSPORTPRESS*(2016); 1(6);Vol. 18, 11-20 DOI: 10.5604/15093492.1198829
46. Richards MM et al.: Intra-articular treatment of knee osteoarthritis: from anti-inflammatories to products of regenerative medicine. *Phys Sportsmed.* (2016); 44(2):101-8. doi: 10.1080/00913847.2016.1168272. Review. PubMed PMID: 26985986; PubMed Central PMCID: PMC4932822

2017

47. Pecin M et al.: Accelerated Achilles tendon healing with interleukin-1 receptor antagonist protein in rabbits. *Turk J Vet Anim Sci*, (2017) 41: 118-126; TÜBİTAK doi:10.3906/vet-1604-32
48. Arbel R: Bio-orthopaedics: A new approach. ORTHOKINE. In A. Gobbi, J. G. Lane, J. Espregueira-Mendes, & M. Karahan (Eds.), *Bio-orthopaedics: A New Approach* (pp. 1–696). ISAKOS. <http://doi.org/10.1007/978-3-662-54181-4>
49. Caggiari G et al.: Chondroprotective Effects of Intra-Articular Autologous Conditioned Serum (ACS) Injection: A Human Literature Review (2017). *International Journal of Innovative Science, Engineering & Technology*, 4(3), 289–293
50. Strümper R: Intra-Articular Injections of Autologous Conditioned Serum to Treat Pain from Meniscal Lesions, *Sports Medicine International Open* (2017); 1: E200–E205
51. Wehling P et al.: Effectiveness of intra-articular therapies in osteoarthritis: a literature review; *Ther Adv Musculoskel Dis* (2017) 1-14: <https://doi.org/10.1177/1759720X17712695>
52. Shirokova L et al.: Comparison of clinical efficacy of platelet-rich plasma and autologous conditioned serum treatment in patients with osteoarthritis of the knee. *Osteoarthritis and Cartilage* (2017), <https://doi.org/10.1016/j.joca.2017.02.756>

2018

53. Tassara M et al.: Autologous conditioned serum (ACS) for intra-articular treatment in Osteoarthritis: retrospective report of 28 cases. *Transfusion and Apheresis Science.* (2018) <http://doi.org/10.1016/j.transci.2018.07.021>
54. Damjanov N et al.: The efficacy and safety of autologous conditioned serum (ACS) injections compared with betamethasone and placebo injections in the treatment of chronic shoulder joint pain due to supraspinatus tendinopathy: a prospective, randomized, double-blind, controlled study. *Med Ultrason* (2018), 1-7, DOI: 10.11152/mu-1495

55. Genç E et al.: Investigation of the biomechanical and histopathological effects of autologous conditioned serum on healing of Achilles tendon. *Acta Orthop Traumatol Turc*, (2018) 1–6. <http://doi.org/10.1016/j.aott.2018.01.005>
56. De Ponti A et al.: Clinical outcome and safety of autologous conditioned serum (ACS - Orthokine®) in orthopedics. A retrospective study in Italy. *Giornale Italiano di Ortopedia e Traumatologia* 2018;44:287-293

2019

57. Majewski M et al.: Injection with autologous conditioned serum has better clinical results than eccentric training for chronic Achilles tendinopathy. *Knee Surgery Sports Traumatologie Arthroscopy* (2019), DOI: 10.1007/s00167-019-05465-8
58. Blázquez R et al.: Conditioned Serum Enhances the Chondrogenic and Immunomodulatory Behavior of Mesenchymal Stem Cells. *Front. Pharmacol.* 2019. <https://doi.org/10.3389/fphar.2019.00699>
59. Billigmann P-W: Knie-Arthrose - Option intra-artikuläre Injektionen. *Sportärztezeitung* 2019: 01/2019, 48-49
60. Schmid O, Than P: Infiltrationstherapie bei Rückenschmerzen - Beispiel Golfsport. *Sportärztezeitung* 2019: 02/2019, 44-45

Updated: Juli 2019



ORTHOGEN Lab Services GmbH
Ernst-Schneider-Platz 1 / D-40212 Düsseldorf
T +49 (0)211 38700700 / F +49 (0)211 38700710
info@orthokin.de / www.orthokin.de